

Instructions for a Wooden Bead Garland

The handicraft material you need for making a wooden bead rainbow garland:

- colourful wooden beads (15 mm)
- crochet beads
- safety beads (15 mm)
- wooden half rings
- satin cord

The small tools you need:

- needle and thread
- large needle
- scissors
- lighter
- tweezers

Let's Get Crafty!

Step 1: Sketching and Experimenting With Beads and Half Rings

Making a **garland of wooden beads** is a big project. To make sure that your individual, home-made garland comes out just the way you want it to be, we recommend **sketching** your desired design first.

Then you can arrange the required beads and half rings for your **garland design**. It is sufficient visualising only one part of the sketch by arranging the materials. That's because usually the garland's elements are repeated (mirror-inverted) to create a harmonious garland.

A tip for planning your design: We recommend using **safety beads** for all bead strands' ends. A safety bead has a hole that's larger on one side in order to hide a knot inside of it.

Step 2: Stringing the Horizontal Bead Strand

Let's string the **horizontal bead strand** first: To do this, place **two satin cord pieces** on top of each other. Important: They must be long enough for making two additional middle strands for two half rings as well as long enough for two loops for hanging the garland.

Melt the cord ends with a lighter. Doing this prevents fraying and makes stringing the beads easier.

Now string the horizontal bead strand, bead by bead. Slide the beads to both satin cord pieces' middle.

Step 3: Making the Loops for Hanging the Garland

Now make a **loop** at each end of the bead strand. Make a knot by folding a loop with both satin cord pieces and then pass the loop around itself. Take care tying the second of both knots as close as possible to the last bead. Pull the knots as tight as possible.

Step 4: Adding the Loops' Safety Beads

To hide the loops' knots, we are using two **safety beads**. String one safety bead on each loop so that its larger opening is pointing towards the knot. When stringing, it can help pushing the loops carefully through the bead hole with a sewing needle.

Now pull on a loop with one hand and press with the other hand against the safety bead until it successfully slides over the knot.

Step 5: Preparing the Crochet Beads' Stringing

Now we want to string the half ring's middle bead strand. In our example it contains **crochet beads** as well.

To make stringing them easier, stretching their holes with a **large needle** is a good idea. We have used a sack needle. But it also works with another large needle, for example a carpet needle.

Our crochet beads are filled with cotton wool. That is why stringing them can sometimes be a little difficult, despite the prepared hole.

Step 6: Stringing the Crochet Beads

First, string the beads that are meant to be in front of, so above, the half ring. The **wooden beads** can be easily slid on the cord ends which have already been slightly melted. However, for stringing the **crochet beads** we need a little **trick**.

Thread a piece of **sewing thread** through a **sewing needle**. Pierce both cord ends with the needle and tie a double knot in the thread. Now you can easily string on the crochet beads.

Step 7: Stringing the Middle Strand

As explained before, you can now string the **middle bead strand** of your garland's first garland element including the half ring. Please do not string the final safety bead yet.

Step 8: Making the Knot That Stabilises the Safety Bead

To make sure that the safety bead is really tight and the bead strand is nice and tight as well, let's do the following: Make a **knot**. You will see that a simple knot sinks into the crochet bead's soft material. Therefore, make more knots until this multiple knot is clearly visible on the crochet bead. Then it will be able to give the safety bead a firm hold.

Step 9: Finishing the Bead Strand

Now pull with some force the safety bead with its smaller opening over the prepared knot.

Make **more knots** into the larger opening. As the satin cord is narrower than our PP-polyester cord, several knots are necessary instead of the normally used, usual double knot. Simply try how many knots are required to fill the safety bead's larger hole. According to experience it is around 6 knots.

Then carefully shorten the cord ends with scissors. Weld the multiple knots with the flame of a lighter. Finally push the knot into the safety bead's opening. Using tweezers can be helpful.

Step 10: Adding the Side Strand's Upper Safety Bead

For the first side strand, double another piece of satin cord. String a safety bead so that its larger opening faces the loop. Make a tight **double knot** in the end of the loop by passing it twice around itself.

Pull the knot into the safety bead. If necessary, you can fuse the knot with a lighter and use tweezers to press the knot neatly into the hole.

Step 11: Passing the Cord Through the Half Ring's Side Hole

Now pass both cord ends through the **half ring's side hole**. Since satin cord is narrow and flexible, this usually works by simply pushing it through.

If necessary, you can also use the blunt tip of a sewing needle to push from above and pull out the cord ends from below with tweezers.

Step 12: Adding the Half Ring's Remaining Beads

Now add all the beads of the started bead strand as well as a second side strand. Voilà! Your **garland's first element** is finished!

Step 13: Adding Pieces of Cord for the Remaining Garland Elements

For making the garland elements at the garland's ends, we can use the excess string hanging down from the loops.

If your horizontal beads strand has an **even number of beads**, the following applies: For all other garland elements, simply knot an **additional piece of satin cord** at the desired position for the respective middle bead strand. Then you can complete each garland element as usual.

If your horizontal bead strand has an **odd number of wooden beads**, as in our example, you can add the garland elements as described above, but leave out the **central one**.

Step 14: Adding the Central Garland Element

Proceed here if your garland has a horizontal strand that has an **odd number of wooden beads**: you have now added all elements as described above, except for the central garland element.

To make sure that the central element hangs in the horizontal bead strand's exact middle, we now use not one but **two pieces of satin cord**. Knot both of them together from the most central wooden bead's left and right side.

Stringing the crochet beads is easiest if you use needle and thread for both cord ends, just as described before.

Step 15: Finishing the Garland

Complete the last **garland element** just as the other ones.

You're done! We hope you and all people will enjoy seeing this **DIY wooden bead garland** when entering the room that's decorated with this beautiful home decoration piece!

Schnullerkettenladen GmbH
Plauener Straße 163-165
13053 Berlin
Germany

Website: Schnullerkettenladen.de

E-Mail: kontakt@schnullerkettenladen.de

Phone: +49(0)30/42805260

Also discover Schnullerkettenladen.de's other craft instructions:
Schnullerkettenladen.de