

Makes Your Little One Move: A Homemade Pram Mobile

A **pram mobile** is a great addition to your stroller. That's because your child can play with it at any time - while training their skills in a playful way. With our **handicraft instructions for pram mobiles** you can let your creativity run wild. Bead by bead, you can create your very own, individual buggy mobile.

The level of difficulty of our **handicraft instructions** is easy to implement for experienced handicraft enthusiasts. Even untrained people can try their hand at creating a pram mobile. For less experienced craftspeople we recommend our **instructions for dummy chains** as an introduction to the world of crafting with wooden beads. The time required to make our pram mobile is about 10-15 minutes. We wish you a lot of fun with crafting it and are looking forward to your photos!

The handicraft material you need for making a pram mobile:



- 1 wooden half ring
- 1 pacifier clips
- o motif beads
- o **letter cubes**
- o colourful wooden beads
- o optional: 3 safety beads
- 2 mini wooden rings
- 1 little bell
- 1 m PP-polyester cord
- 1 m rubber band (2 mm)

The small tools you need:



Let's Get Crafty!

Step 1: Experimenting With Beads and Rings

Your **handicraft material** is laying in front of you? Wonderful! Let's start: Lay out the beads for your **stroller mobile** in the desired order. Try out different variations until you really like your buggy mobile.

An important note before crafting: Please work carefully and properly. Check each knot several times. A loose knot bears the danger of small parts being swallowed!

Step 2: Attaching the Pacifier Clip



Double the PP-polyester cord so that it's slightly longer than your planned bead strand. Put the cord loop from below through the eye of the **pacifier clip**. Now string the clip through the loop and tighten the resulting knot.

For easier stringing we're using a little **trick**: Put the two cord ends together so that one of them protrudes about 2 centimetres. Now melt both ends slightly with a lighter. Use your fingers to press the lower cord end slightly against the protruding one. This way you can string the **wooden beads** onto the double cord more easily thanks to the protruding end.

Step 3: Stringing the Wooden Beads



Let your **children's mobile** grow bead by bead: string on the first **wooden beads** as well as the **wooden half ring**.



Now string the short dangling strand from different **wooden beads**. It will be especially pretty with a **motif bead**.

For the dangling strand's end we recommend using a **safety bead**. If you string it with the larger hole pointing outward, you can easily let the knot disappear into it. To do this, make a simple knot with the two ends of the cord in front of the last normal wooden bead. Then string the **safety bead**. With its smaller opening first, slide the safety bead over the knot. This hidden knot tightens the dangling strand. Now double knot the end of the cord and weld it with the lighter. With the help of tweezers the knot disappears easily into the safety bead.

Step 5: Attaching the Lower Part



Double the **rubber band** so that it's slightly longer than your prepared bead strand that we will attach to the wooden ring. A length of 30 cm is sufficient.

Make a double knot at the end of the **rubber band**. Cut the end of the cord carefully with scissors and weld the knot lightly with the lighter. From the other side, string a **safety bead** with its larger hole facing the knot. Push the knot into the safety bead. **Check** that the knot is firmly seated in the bead and cannot slip through. The tight knot serves the safety of your child!

If you want to, string more beads behind the safety bead. **Before** stringing the half ring, don't forget adding a mini wooden ring.



Step 6: Stringing the Ring's Beads

Look forward to this step, because now your **pram mobile** is really taking shape: String up the **lenses**, **letter cubes** and **motif beads** one by one – and have fun watching your ring grow. Only string the beads up to the end of the lower bead strand, which you will later connect to the half ring.

The **amount of beads** required depends on your design and the name's length. The longer the name, the fewer beads should be used. To save length you can also use **lenses** instead of round beads. This way the ring stays nice and **round**.

Step 7: Finishing up the Pram Mobile



String the **rubber cord** through the other hole of the half ring. Then string the **same** beads above the half ring as on the other side of the ring. Pull the rubber cord slightly and make a **double knot**. Cut the end of the cord and carefully weld the knot with a lighter. Finally, just push the knot into the safety bead.

Carefully check **all knots** once again. This is for the safety of your child!

Your **individual stroller mobile** is ready to use. We wish your child lots of fun playfully learning with its help!



Schnullerkettenladen GmbH Plauener Straße 163-165 13053 Berlin Germany

Website: <u>Schnullerkettenladen.de</u>

E-Mail: <u>kontakt@schnullerkettenladen.de</u>

Phone: +49(0)30/42805260